

IN THE CLAIMS:

Please amend the claims as follows:

Cancel Claims 1-40 and 46-47 without prejudice.

Amend Claim 41 as follows:

41. (Amended) A computer system for [representing] identifying biological pathways involved in the action of a drug in a cell type comprising a processor and a memory coupled to said processor, said memory encoding one or more programs, said one or more programs causing said processor to perform a method comprising the steps of:

(a) receiving a drug response of said drug in said cell type, said drug response comprising measurements of a plurality of cellular constituents in a cell of said cell type at a plurality of levels of drug exposure;

(b) receiving one or more biological pathway responses, each of said one or more biological pathway responses comprising measurements of cellular constituents of [said] a biological pathway in a cell of said cell type at a plurality of levels of a perturbation to said biological pathway;

(c) forming a model drug response as a combination of said one or more biological pathway responses, wherein each of said one or more biological pathway responses in said combination is subject to an independent scaling transformation;

(d) determining the value of an objective function of the difference between said drug response and said model drug response; and

(e) minimizing said determined value of said objective function by varying the scaling transformations of said one or more biological pathway responses to obtain best scaling transformations that minimize said determined value of said objective function;

[whereby] wherein said combination of said one or more biological [pathways] pathway responses subject to said best scaling transformations represents the biological pathways involved in the action of said drug in said cell type.

Add new Claims 48-87 as follows:

48. (new) The computer system of claim 41 wherein the method performed by said processor further comprises the steps of:

(f) determining an expected probability distribution of minimized determined values of said objective function, and

- Sub  
P. 4/cont'd
- (g) assessing the statistical significance of the minimized determined value of said objective function in view of the expected probability distribution of minimized determined values of said objective function.

49. (new) The computer system of claim 48 wherein the expected probability distribution of minimized determined values of said objective function is determined by:

- A2
- (i) randomizing the drug response with respect to the plurality of levels of drug exposure and randomizing the model drug response by randomizing the one or more biological pathway responses with respect to the plurality of levels of perturbation to the one or more biological pathways;
  - (ii) determining a theoretical minimum values of the objective function of the difference between the randomized drug response and the randomized model drug response;
  - (iii) minimizing said determined theoretical value of the objective function by varying the scaling transformations of the one or more randomized biological pathway responses to obtain scaling transformations that minimize said determined theoretical value of the objective function; and
  - (iv) repeating steps (i) through (iii) to determine a plurality of theoretical minimum values,

wherein said plurality of minimum values forms said expected probability distribution of minimized values.

50. (new) The computer system of claim 41 wherein the method performed by the processor further comprises a step of verifying that said biological pathways are biological pathways involved in the action of said drug in said cell type by a method comprising selecting a model response that behaves most similarly to a combined drug-perturbation response, said combined drug perturbation response being provided by a method comprising measuring a plurality of cellular constituents in a cell of said cell type exposed simultaneously to one or more levels of said exposure to said drug and to one or more levels of perturbations in said one or more biological pathways,

wherein the model drug response is selected from the group consisting of:

- 5410114
- (i) a first model drug response comprising the combination of one or more biological pathway responses subject to the best scaling transformations evaluated at one or more first sums, each first sum being the sum of one of said one or more levels of drug exposure subject to said scaling transformations and one of said one or more levels of perturbations to said biological pathways.
- (ii) a second model drug response comprising one or more second sums, each second sum being the sum of said drug response evaluated at one of said one or more levels of drug exposure and said combination of said one or more biological pathway responses subject to the best scaling transformations evaluated at one of said one or more levels of perturbations to said biological pathways,

132 wherein said biological pathways are verified as biological pathways actually involved in the action of said drug in said cell type if the first model response is selected.

51. (new) The computer system of claim 41 wherein the method performed by the processor further comprises a step of assigning a cellular constituent present in said drug response to the one of said one or more biological pathways in which the biological pathway response of the cellular constituent subject to its best scaling transformation has the greatest correlation with the drug response of the cellular constituent.

52. (new) The computer system of claim 41 wherein said scaling transformations comprise transformations of said levels of drug exposure to corresponding levels of said perturbations to said biological pathways.

53. (new) The computer system of claim 52 wherein said transformations of said levels of drug exposure are by linear mapping.

54. (new) The computer system of claim 41 wherein said one or more programs further cause said processor to interpolate the measurements of cellular constituents of the biological pathway in said cell of said cell type at a plurality of levels of perturbation so that the one or more biological pathway responses are interpolated.

55. (new) The computer system of claim 54 wherein the interpolating comprises approximation by a sum of spline functions.

56. (new) The computer system of claim 54 wherein the interpolating comprises approximation by a Hill function.

57. (new) The computer system of claim 41 wherein the one or more biological pathways in the cell type are those biological pathways likely to be involved in the action of the drug in the cell type.

58. (new) The computer system of claim 41 wherein the one or more biological pathways are selected from a compendium of biological pathways present in the cell type.

59. (new) The computer system of claim 41 wherein the cell type is substantially isogenic to *Saccharomyces cerevisiae*.

60. (new) The computer system of claim 41 wherein the cellular constituents comprise abundances of a plurality of RNA species present in the cell type.

61. (new) The computer system of claim 60 wherein the abundances of the plurality of RNA species are measured by a method comprising contacting a gene transcript array with RNA from a cell of the cell type, or with cDNA derived therefrom, wherein a gene transcript array comprises a surface with attached nucleic acids or nucleic acid mimics, said nucleic acids or nucleic acid mimics being capable of hybridizing with said plurality of RNA species or with cDNA species derived therefrom.

62. (new) The computer system of claim 61 wherein the measurements of cellular constituents in step (a) are provided by a method comprising contacting one or more gene transcript arrays (i) with RNA, or with cDNA derived therefrom, from a cell of said cell type that is exposed to said drug, and (ii) with RNA, or with cDNA derived therefrom, from a cell of said cell type that is not exposed to said drug, and

SP  
63. (new) wherein said measurements of cellular constituents in step (b) are provided by a method comprising contacting one or more gene transcript arrays (i) with RNA, or with cDNA derived therefrom, from a cell of said cell type that is exposed to said perturbation to said biological pathway, and (ii) with RNA, or with cDNA derived therefrom, from a cell of said cell type that is not exposed to said perturbation to said biological pathway.

63. (new) The computer system of claim 41 wherein the cellular constituents comprise abundances of a plurality of protein species present in the cell type.

64. (new) The computer system of claim 63 wherein the abundances of the plurality of protein species are measured by a method comprising contacting an antibody array with proteins from a cell of the cell type,

wherein the antibody array comprises a surface with attached antibodies that are capable of binding with the plurality of protein species.

65. (new) The computer system of claim 63 wherein the abundances of the plurality of protein species are measured by a method comprising performing two-dimensional electrophoresis of proteins from a cell of the cell type.

66. (new) The computer system of claim 41 wherein the cellular constituent comprise activities of a plurality of protein species present in the cell type.

67. (new) The computer system of claim 41 wherein the one or more biological pathways in the cell type comprise biological pathways originating at one or more specific cellular constituents, and wherein the perturbations to the biological pathways are performed by a method comprising modifying the one or more specific cellular constituents.

68. (new) The computer system of claim 67 wherein the one or more specific cellular constituents are modified by a method comprising causing expression of the one or more specific cellular constituents under the control of a controllable expression system.

69. (new) The computer system of claim 67 wherein the one or more specific cellular constituents are modified by a method comprising controllable transfection of genes expression the one or more specific cellular constituents.

70. (new) The computer system of claim 67 wherein the one or more specific cellular constituents are modified by a method comprising controllably decreasing abundances of RNA species encoding the one or more specific cellular constituents in a cell of the cell type.

71. (new) The computer system of claim 70 wherein the method of controllable decreasing abundances of RNA species comprises exposing a cell of the cell type to ribozymes targeted to cleave the RNA species.

72. (new) The computer system of claim 67 wherein the one or more specific cellular constituents are modified by a method comprising controllably decreasing the rate of translation of RNA species encoding the one or more specific cellular constituents in a cell of the cell type.

73. (new) The computer system of claim 72 wherein the method of controllably decreasing the rate of translation of RNA species comprises exposing a cell of the cell type to antisense nucleic acids or antisense nucleic acid mimics that hybridize to the RNA species or to DNA encoding the RNA species.

74. (new) The computer system of claim 67 wherein the one or more specific cellular constituents are abundances of protein species or activities or protein species, and wherein the one or more specific cellular constituents are modified by a method comprising controllably decreasing the abundances in a cell of the cell type.

75. (new) The computer system of claim 74 wherein the method of controllably decreasing the abundances comprises causing expression in a cell of the cell type of the one or more protein species as fusion proteins comprising the protein species and a degron, wherein the degron is controllable to increase the rate of degradation of the protein species.

76. (new) The method of claim 74 wherein the method of controllably decreasing the abundances comprises exposing a cell of the cell type to antibodies, wherein the antibodies bind to the protein species.

77. (new) The method of claim 67 wherein the one or more specific cellular constituents are activities of protein species, and wherein the one or more specific cellular constituents are modified by a method comprising controllably decreasing the activities in a cell of the cell type.

78. (new) The method of claim 77 wherein the method of controllably decreasing the activities comprises exposing a cell of the cell type to drugs which directly and specifically inhibit the activities of the protein species.

am 79. (new) The method of claim 77 wherein the method of controllably decreasing the activities comprises exposing a cell of the cell type to dominant negative mutant protein species, wherein the dominant negative mutant protein species are proteins inhibiting said activities.

80. (new) A computer system for identifying a more pathway specific drug candidate from an initial drug candidate comprising:  
a processor, and  
a memory coupled to said processor and encoding one or more programs  
wherein said one or more programs cause said processor to perform a method comprising the steps of:

- (a) identifying the biological pathways involved in the action of an initial drug candidate by a method comprising:
  - (i) receiving an initial drug response of said initial drug candidate in a cell of a cell type, said initial drug response comprising measurements of a plurality of cellular constituents in a cell of the cell type at a plurality of levels of exposure to the initial drug candidate,
  - (ii) receiving one or more biological pathway responses, each of said one or more biological pathway responses comprising measurements of

- cellular constituents of a biological pathway in a cell of the cell type at a plurality of levels of perturbation to the biological pathway,
- (iii) forming a model initial drug response as a first combination of said one or more biological pathway responses, wherein each of said one or more biological pathway responses in said first combination is subject to an independent scaling transformation,
  - (iv) determining the value of an objective function of the difference between said initial drug response and said model initial drug response, and
  - (v) minimizing the determined value of the objective function by varying the scaling transformation of said one or more biological pathways in the first combination to obtain a first set of best scaling transformations that minimize the determined value of the objective function,

so that the combination of said one or more biological responses subject to the first set of best scaling transformation represents the biological response pathways involved in the action of the initial drug candidate;

- (b) identifying the biological pathways involved in the action of a modified drug candidate, said modified drug candidate having a modified structure of the initial drug candidate, by a method comprising:
  - (i) receiving a modified drug response of said modified drug candidate in a cell of the cell type, said modified drug response comprising measurements of a plurality of cellular constituents in a cell of the cell type at a plurality of levels of exposure to the modified drug candidate,
  - (ii) forming a model modified drug response as a second combination of the one or more biological pathway responses, wherein each of said one or more biological pathway responses in said second combination is subject to an independent scaling transformation,
  - (iii) determining the value of an objective function of the difference between said modified drug response and said model modified drug response, and
  - (iv) minimizing the determined value of the objective function of the difference between said modified drug response and said model



modified drug response by varying the scaling transformation of said one or more biological pathways in the second combination to obtain a second set of best scaling transformations that minimize the determined value of the objective function,

so that the combination of said one or more biological responses subject to the second set of best scaling transformation represents the biological response pathways involved in the action of the modified drug candidate, and

wherein said modified drug candidate is identified as a more pathway-specific drug candidate than said initial drug candidate if fewer biological pathways are identified in the action of said modified drug candidate than in the action of said initial drug candidate.

81. (new) A computer system for identifying one or more specific biological pathways that are involved in the action of a drug and that mediate side-effects of the drug, said computer system comprising:

a processor, and

a memory coupled to said processor and encoding one or more programs,

wherein said one or more programs cause said processor to perform a method comprising the steps of:

- (a) identifying the biological pathways involved in the action of a first drug by a method comprising:
  - (i) receiving a first drug response of said first drug in a cell of a cell type, said first drug response comprising measurements of a plurality of cellular constituents in a cell of the cell type at a plurality of levels of exposure to the first drug,
  - (ii) receiving one or more biological pathway responses, each of said one or more biological pathway responses comprising measurements of cellular constituents of a biological pathway in a cell of the cell type at a plurality of levels of perturbation to the biological pathway,
  - (iii) forming a model first drug response as a first combination of said one or more biological pathway responses, wherein each of said one or

more biological pathway responses in said first combination is subject to an independent scaling transformation,

- (iv) determining the value of an objective function of the difference between said first drug response and said model first drug response, and
- (v) minimizing the determined value of the objective function by varying the scaling transformation of said one or more biological pathways in the first combination to obtain a first set of best scaling transformations that minimize the determined value of the objective function,

so that the first combination of said one or more biological responses subject to the first set of best scaling transformation represents the biological response pathways involved in the action of the first drug;

- (b) identifying the biological pathways involved in the action of a second drug by a method comprising:
- (i) receiving a second drug response of said second drug in a cell of the cell type, said second drug response comprising measurements of a plurality of cellular constituents in a cell of the cell type at a plurality of levels of exposure to the second drug,
- (ii) forming a model second drug response as a second combination of the one or more biological pathway responses, wherein each of said one or more biological pathway responses in said second combination is subject to an independent scaling transformation,
- (iii) determining the value of an objective function of the difference between said second drug response and said model second drug response, and
- (iv) minimizing the determined value of the objective function of the difference between said second drug response and said model second drug response by varying the scaling transformation of said one or more biological pathways in the second combination to obtain a second set of best scaling transformations that minimize the determined value of the objective function,

so that the second combination of said one or more biological responses subject to the second set of best scaling transformation represents the biological response pathways involved in the action of the modified drug candidate; and

- (c) identifying specific biological pathways involved in the action of the first drug that are different from those biological response pathways involved in the action of the second drug so that one or more specific biological pathways that are involved in the action of the first drug and that mediate side-effects of the first drug are identified.

82. (new) A computer system for identifying one or more specific biological pathways that are involved in mediating therapeutic efficacy for a disease or disorder, said computer system comprising:

a processor, and

a memory coupled to said processor and encoding one or more programs,

wherein said one or more programs cause said processor to perform a method comprising the steps of:

- (a) identifying the biological pathways involved in the action of a first drug by a method comprising:
- (i) receiving a first drug response of said first drug in a cell of a cell type, said first drug response comprising measurements of a plurality of cellular constituents in a cell of the cell type at a plurality of levels of exposure to the first drug,
  - (ii) receiving one or more biological pathway responses, each of said one or more biological pathway responses comprising measurements of cellular constituents of a biological pathway in a cell of the cell type at a plurality of levels of perturbation to the biological pathway,
  - (iii) forming a model first drug response as a first combination of said one or more biological pathway responses, wherein each of said one or more biological pathway responses in said first combination is subject to an independent scaling transformation,

sub  
p. 10/11/12

- (iv) determining the value of an objective function of the difference between said first drug response and said model first drug response, and
- (v) minimizing the determined value of the objective function by varying the scaling transformation of said one or more biological pathways in the first combination to obtain a first set of best scaling transformations that minimize the determined value of the objective function,

so that the first combination of said one or more biological responses subject to the first set of best scaling transformation represents the biological response pathways involved in the action of the first drug;

- (b) identifying the biological pathways involved in the action of a second drug by a method comprising:

a<sup>3</sup>

- (i) receiving a second drug response of said second drug in a cell of the cell type, said second drug response comprising measurements of a plurality of cellular constituents in a cell of the cell type at a plurality of levels of exposure to the second drug,
- (ii) forming a model second drug response as a second combination of the one or more biological pathway responses, wherein each of said one or more biological pathway responses in said second combination is subject to an independent scaling transformation,
- (iii) determining the value of an objective function of the difference between said second drug response and said model second drug response, and
- (iv) minimizing the determined value of the objective function of the difference between said second drug response and said model second drug response by varying the scaling transformation of said one or more biological pathways in the second combination to obtain a second set of best scaling transformations that minimize the determined value of the objective function,

so that the second combination of said one or more biological responses subject to the second set of best scaling transformation represents the

biological response pathways involved in the action of the modified drug candidate; and

- (c) identifying specific biological pathways involved in the action of both the first and second drugs so that one or more specific biological pathways that are involved in the action of said first drug and mediate therapeutic efficacy for the disease or disorder are identified.

83. (new) A computer system for identifying biological pathways involved in the action of a drug in a cell type comprising

a process, and

a memory coupled to said processor and encoding one or more programs,

wherein said one or more programs cause said processor to perform a method that comprises determining the best scaling transformation of one or more biological pathway responses which minimize the value of an objective function of the difference between a provided drug response and a model drug response, wherein:

- (a) said one or more biological pathway responses are the product of a method comprising measuring cellular constituents of one or more biological pathways in a cell of said cell type at a plurality of levels of perturbation to said biological pathways;
- (b) said provided drug response is provided by a method comprising measuring a plurality of cellular constituents in a cell of the cell type at a plurality of levels of exposure to said drug; and
- (c) said model drug response is represented as a combination of said one or more biological pathway responses, each of said one or more biological pathway responses in said combination being subject to an independent scaling transformation; and

wherein the combination of said one or more biological pathway responses subject to said best scaling transformations identifies the biological pathways involved in the action of said drug in said cell type.

84. (new) The computer system of claim 83 wherein said computer system assigns a statistical significance to the combination of said one or more biological pathway

82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000

responses subject to said best scaling transformations, wherein the statistical significance is assigned by a method comprising:

- (a) obtaining an expected probability distribution of minimized values of the objective function; and
- (b) assessing statistical significance of an actual minimized value of the objective function in view of the expected probability distribution, wherein the actual minimized value of the objective function is determined from the provided drug response and the model drug response.

85. (new) The computer system of claim 84 wherein the expected probability distribution is obtained by a method comprising:

- (a) randomizing the drug response with respect to the plurality of levels of drug exposure;
- (b) randomizing the model drug response by a method comprising randomizing the one or more biological pathway responses with respect to the plurality of levels of perturbation to the one or more biological pathways;
- (c) determining a theoretical minimum value of the objective function by determining best scaling transformations of the one or more randomized biological pathway responses which minimize an objective function of the difference between the randomized drug response and the randomized model drug response; and
- (d) repeating steps (a) through (c), so that a plurality of theoretical minimum values is thereby determined,

wherein the plurality of theoretical minimum values forms the expected probability distribution.

86. (new) A computer system for identifying biological pathways involved in the effect of an environmental change upon a cell type, said computer system comprising:

- a processor, and
- a memory coupled to said processor and encoding one or more programs,
- a memory coupled to said processor and encoding one or more programs,

5/22/14  
12/1/14  
wherein said one or more programs cause said processor to perform a method that comprises determining the best scaling transformation of one or more biological pathway responses which minimize the value of an objective function of the difference between a received environmental response and a model environmental response, wherein:

- a<sup>3</sup>
- (a) said one or more biological pathway responses are the product of a method comprising measuring cellular constituents of one or more biological pathways in a cell of said cell type at a plurality of levels of perturbation to said biological pathways;
  - (b) said received environmental response is provided by a method comprising measuring a plurality of cellular constituents in a cell of the cell type at a plurality of levels of exposure to said environmental change; and
  - (c) said model environmental response is represented as a combination of said one or more biological pathway responses, each of said one or more biological pathway responses in said combination being subject to an independent scaling transformation; and

wherein the combination of said one or more biological pathway responses subject to said best scaling transformations identifies the biological pathways involved in the effect of said environmental change upon said cell type.

87. (new) A computer system for identifying biological pathways involved in the effect of an environmental change upon a cell type, said computer system comprising:

a processor, and

a memory coupled to said processor and encoding one or more programs,

wherein said one or more programs cause said processor to perform a method comprising the steps of:

- (a) receiving an environmental response to said environmental change upon said cell type, said environmental response comprising measurements of a plurality of cellular constituents in a cell of said cell type at a plurality of levels of exposure to said environmental change;
- (b) receiving one or more biological pathway responses, each of said one or more biological pathway responses comprising measurements of cellular constituents